




-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers





-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RP380 5P	380	700	5	300	120	1860	1780	1370	2015	1145	930
RP380 6P	380	830	6	300	120	1860	1780	1370	2015	1145	930
RPG380 5P	380	790	5	300	120	1860	1780	1370	2015	1145	1195
RPG380 6P	380	920	6	300	120	1860	1780	1370	2015	1145	1195
RP500A 5P	500	860	5	320	120	2520	1830	1490	2100	1165	995
RP500A 6P	500	960	6	320	160	2520	1830	1490	2100	1165	995
RPG500A 5P	500	960	5	320	120	2520	1830	1490	2100	1415	1245
RPG500A 6P	500	1160	6	320	160	2520	1830	1490	2100	1415	1245

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для загрузки металлолома и различных материалов



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm ³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RP503 5P	500	1150	5	320	160	2950	1890	1560	2160	1190	995
RP503 6P	500	1250	6	320	190	2950	1890	1560	2160	1190	995
RPGA503 5P	500	1250	5	320	160	2950	1890	1560	2160	1440	1245
RPGA503 6P	500	1350	6	320	190	2950	1890	1560	2160	1440	1245
RPGB503 5P	500	1320	5	320	160	2950	1890	1560	2160	1470	1275
RPGB503 6P	500	1420	6	320	190	2950	1890	1560	2160	1470	1275

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов


> RP603 5P




R3BIR




> RP603 6P





> RPG603 6P



> RP



> RPG



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RP603 5P	600	1230	5	320	160	2710	2060	1560	2300	1270	1020
RP603 6P	600	1330	6	320	190	2710	2060	1560	2300	1270	1020
RPG603 5P	600	1400	5	320	160	2710	2060	1560	2300	1550	1300
RPG603 6P	600	1500	6	320	190	2710	2060	1560	2300	1550	1300

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов

> RV400 5P



> RV400 6P




> RVG400 6P





R3IR



> RV



> RVG



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RV400B 5P	400	930	5	300	120	2150	1750	1240	1960	1620	1370
RV400B 6P	400	1020	6	300	140	2150	1750	1240	1960	1620	1370
RVG400B 5P	400	1000	5	300	120	2150	1750	1240	1960	1750	1510
RVG400B 6P	400	1090	6	300	140	2150	1750	1240	1960	1750	1510

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов

> RV500 5P



> RV500 6P




> RVG500 6P





R3IR



> RV



> RVG



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RV500A 5P	500	1140	5	300	160	2750	1930	1320	2140	1780	1470
RV500A 6P	500	1240	6	300	180	2750	1930	1320	2140	1780	1470
RVG500A 5P	500	1200	5	300	160	2750	1930	1320	2140	1905	1600
RVG500A 6P	500	1300	6	300	180	2750	1930	1320	2140	1905	1600

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для загрузки металлолома и различных материалов

> RV550 5P



> RV550 6P




> RVG550 5P





R3BIR

> RV



> RVG



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RV550 5P	550	1300	5	300	160	2635	2000	1385	2215	1810	1545
RV550 6P	550	1350	6	300	180	2635	2000	1385	2215	1810	1545
RVG550 5P	550	1450	5	300	160	2635	2000	1385	2215	1920	1655
RVG550 6P	550	1580	6	300	180	2635	2000	1385	2215	1920	1655

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов

> RV600A 5P



> RV600A 6P




> RVG600A 6P





R3BIR

> RV



> RVG



Modello			Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni					
Model			Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes					
Modèle			Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions					
Modell			Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
			dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E	
RV600A	RV601	5P	600	1500	1700	5	300	180	2900	2110	1510	2290	1870	1580
RV600A	RV601	6P	600	1630	1800	6	300	200	2900	2110	1510	2290	1870	1580
RVG600A	RVG601	5P	600	1650	1900	5	300	180	2900	2110	1510	2290	1980	1680
RVG600A	RVG601	6P	600	1780	2050	6	300	200	2900	2110	1510	2290	1980	1680

 Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

 Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для загрузки металлолома и различных материалов

> RV800A 5P



> RV800A 6P




> RVG800A 5P





R3BIR

> RV







> RVG



Modello			Capacità	Peso	Denti n°		Pressione	Portata olio	Forza al dente	Dimensioni				
Model			Capacity	Weight	Teeth no.		Pressure	Oil flow	Tooth force	Sizes				
Modèle			Capacité	Poids	Dents n.		Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell			Inhalt	Gewicht	Zähne Stk.		Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
			dm³	kg	n°		bar	l/min	Kg	A	B	C	D	E
RV800A	RV801	5P	800	1630	1750	5	300	180	2600	2320	1620	2530	1980	1600
RV800A	RV801	6P	800	1750	1900	6	300	200	2600	2320	1620	2530	1980	1600
RVG800A	RVG801	5P	800	1780	1900	5	300	180	2600	2320	1620	2530	2090	1710
RVG800A	RVG801	6P	800	1900	2050	6	300	200	2600	2320	1620	2530	2090	1710

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers



-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RV1000 5P	1000	2450	5	300	250	4570	2400	1840	2640	2265	1860
RV1250C 5P	1250	2600	5	300	250	4350	2520	1970	2760	2270	1910
RV1250C 6P	1250	2900	6	300	300	4350	2520	1970	2760	2270	1910
RV1500C 5P	1500	2850	5	300	250	3950	2760	2040	3040	2400	1960
RV1500C 6P	1500	3000	6	300	300	3950	2760	2040	3040	2400	1960
RV2000C 5P	2000	3000	5	300	250	3620	3030	2180	3330	2530	1990
RV2000C 6P	2000	3200	6	300	300	3620	3030	2180	3330	2530	1990

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers

-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов



Modello	Diametro magnete	Potenza	Tensione
Model	Magnet diameter	Power	Voltage
Modèle	Diamètre de l'aimant	Puissance	Tension
Modell	Magnetdurchmesser	Leistung	Spannung
	mm	W	V DC
RVM250	550	600	24
RVM350	650	600/2000	24/220
RVM500	800	3650	220


Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni					
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes					
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions					
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E	X
RVM250 4P	250	650	4	300	70	1655	1575	1065	1745	1400	1285	35
RVM250 5P	250	700	5	300	90	1655	1575	1065	1745	1400	1285	35
RVM350 4P	350	940	4	300	80	1395	1900	1155	2115	1565	1410	20
RVM350 5P	350	1000	5	300	100	1395	1900	1155	2115	1565	1410	20
RVM500 4P	500	1350	4	300	130	1985	2770	1335	2835	1740	995	50
RVM500 5P	500	1530	5	300	160	1985	2770	1335	2835	1740	995	50

-  Benna a polipo per movimentazione rottame e materiali vari
 Polyp-grab for scrap's and different materials' handling
 Grappin pour la manipulation de la ferraille et de matériaux divers



-  Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 Pulpos para chatarra y materiales diversos
 Полип – грейфер для погрузки металлолома и различных материалов



> RR360
 > RR650A
 > RR700







> RR560
 > RR800
 > RR1100



Modello	Capacità	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni				
Model	Capacity	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes				
Modèle	Capacité	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions				
Modell	Inhalt	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	n°	bar	l/min	Kg	A	B	C	D	E
RR360	360	410	5	280	70	880	1800	1145	2010	1080	820
RR560	560	660	5	300	90	1270	2000	1310	2110	1460	1110
RR650A	650	920	5	320	120	2300	2000	1490	2215	1250	1020
RR700	700	1060	5	320	160	2600	2150	1520	2410	1350	1060
RR800	800	1250	5	300	150	2360	2200	1600	2430	1935	1515
RR1100	1100	1650	5	300	180	2370	2550	1680	2770	2100	1620

■ Benna a polipo per movimentazione rottame e materiali vari
 ■ Polyp-grab for scrap's and different materials' handling
 ■ Grappin pour la manipulation de la ferraille et de matériaux divers

■ Mehrschalengreifer für Schrott-und verschiedenen Materialumschlag
 ■ Pulpos para chatarra y materiales diversos
 ■ Полип – грейфер для погрузки металлолома и различных материалов



Modello	Portata	Peso	Denti n°	Pressione	Portata olio	Forza al dente	Dimensioni					
Model	Lifting power	Weight	Teeth no.	Pressure	Oil flow	Tooth force	Sizes					
Modèle	Portée	Poids	Dents n.	Pression	Débit d'huile	Puissance à la dent	Dimensions					
Modell	Tragkraft	Gewicht	Zähne Stk.	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
	kg	kg	n°	bar	l/min	Kg	A	B	C	D	E	F
RM400	3500	650	3	280	90	3750	1600	1300	1810	1680	1540	810
RM601	5000	950	3	280	120	4820	1850	1650	2150	1900	1800	990
RM901	8000	1700	3	280	250	9140	2450	2300	2700	2470	2250	1260