





-  Benne bivalente per scavo e carico materiali vari
 Grabs for digging and different materials' loading
 Bennes double-coquilles pour l'excavation et le chargement de matériaux divers

-  Zweischalengreifer für Aushub und Verladung von verschiedenen Materialien
 Bivalvas para excavación y carga de materiales diversos
 Двухчелюстной грейфер для сыпучих материалов



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni				
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes				
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions				
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm ³	kg	bar	l/min	Kg	A	C	D	E	L
R30/80	30	65	280	30	2030	600	595	760	730	300
R30/110	50	80	280	30	2030	600	595	760	730	500
R41/145	60	110	280	20	930	990	780	630	530	410
R41/155	95	130	280	20	930	990	780	630	530	610


-  Benne bivalente per scavo e carico materiali vari
 Grabs for digging and different materials' loading
 Bennes double-coquilles pour l'excavation et le chargement de matériaux divers

-  Zweischalengreifer für Aushub und Verladung von verschiedenen Materialien
 Bivalvas para excavación y carga de materiales diversos
 Двухчелюстной грейфер для сыпучих материалов


> R30/125
 > R30/140
 > R30/160
 > R30/180




> R40/100



> R30



> R40



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni					
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes					
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions					
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
	dm ³	kg	bar	l/min	Kg	A	B	C	D	E	L
R30/125	70	170	280	70	2800	1080	1140	1020	1160	1220	260
R30/140	110	190	280	70	2800	1080	1140	1020	1160	1220	410
R30/160	170	230	280	70	2800	1080	1140	1020	1160	1220	610
R30/180	230	260	280	70	2800	1080	1140	1020	1160	1220	810
R40/100	100	250	250	90	4150	1200	1300	1100	1300	900	270

-  Benne bivalve per carico materiali vari
 Grabs for different materials' loading
 Bennes double-coquilles pour le chargement de matériaux divers

-  Zweischalengreifer für Verladung von verschiedenen Materialien
 Bivalvas para carga de materiales diversos
 Грейфер для погрузки различных материалов


> R41T




> R74T



> R41T






> R74T



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni							
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes							
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions							
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen							
	dm³	kg	bar	l/min	Kg	A	B	C	D	E	L	X	Y
R41T350	350	380	300	60	2420	1500		1100	840	645	800	305	195
R41T400	400	400	300	60	2420	1500		1100	840	645	900	305	195
R41T450	450	420	300	60	2420	1500		1100	840	645	1000	305	195
R74T300	300	400	300	40	2690	1590	1675	1150	1030	765	670	250	130
R74T400	400	450	300	40	2690	1590	1675	1150	1030	765	820	250	130
R74T500	500	480	300	40	2690	1590	1675	1150	1030	765	920	250	130

- Benne bivalente per carico materiali vari
- Grabs for different materials' loading
- Bennes double-coquilles pour le chargement de matériaux divers



- Zweischalengreifer für Verladung von verschiedenen Materialien
- Bivalvas para carga de materiales diversos
- Грейфер для погрузки различных материалов



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni						
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes						
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions						
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen						
	dm³	kg	bar	l/min	Kg	A	B	C	D	E	F	L
R74/200	200	280	300	70	2470	1400	1460	1300	990	650	135	450
R74/250	250	295	300	70	2470	1400	1460	1300	990	650	135	550
R74/300	300	310	300	70	2470	1400	1460	1300	990	650	135	650
R74/400	400	340	300	70	2470	1400	1460	1300	990	650	135	850
R74/500	500	370	300	70	2470	1400	1460	1300	990	650	135	1000

- ■ Benne bivalente per carico materiali vari
- Grabs for different materials' loading
- Bennes double-coquilles pour le chargement de matériaux divers




- Zweischalengreifer für Verladung von verschiedenen Materialien
- Bivalvas para carga de materiales diversos
- Грейфер для погрузки различных материалов



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni						
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes						
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions						
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen						
	dm ³	kg	bar	l/min	Kg	A	B	C	D	E	F	L
R74/200 AF	200	310	300	70	2350	1630	1655	1150	1075	610	50	420
R74/250 AF	250	325	300	70	2350	1630	1655	1150	1075	610	50	520
R74/300 AF	300	340	300	70	2350	1630	1655	1150	1075	610	50	620
R74/400 AF	400	370	300	70	2350	1630	1655	1150	1075	610	50	820
R74/500 AF	500	400	300	70	2350	1630	1655	1150	1075	610	50	1020

-  Benne bivalente per carico materiali vari
 Grabs for different materials' loading
 Bennes double-coquilles pour le chargement de matériaux divers




-  Zweischalengreifer für Verladung von verschiedenen Materialien
 Bivalvas para carga de materiales diversos
 Грейфер для погрузки различных материалов



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni				
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes				
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions				
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen				
	dm³	kg	bar	l/min	Kg	A	C	D	E	L
R75/300	300	280	280	60	2050	2100	1300	1060	735	500
R75/400	400	305	280	60	2050	2100	1300	1060	735	650
R75/500	500	330	280	60	2050	2100	1300	1060	735	800
R75/600	600	365	280	60	2050	2100	1300	1060	735	1000
R76/300	300	340	300	60	2715	1670	1290	895	750	650
R76/400	400	390	300	60	2715	1670	1290	895	750	800
R76/500	500	440	300	60	2715	1670	1290	895	750	1000

-  Benne bivalve per carico materiali vari
 Grabs for different materials' loading
 Bennes double-coquilles pour le chargement de matériaux divers


-  Zweischalengreifer für Verladung von verschiedenen Materialien
 Bivalvas para carga de materiales diversos
 Грейфер для погрузки различных материалов




Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni					
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes					
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions					
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
	dm ³	kg	bar	l/min	Kg	A	B	C	D	E	L
R41/700	500	720	280	100	4400	1990	2070	1270	1230	1070	820
R41/1000	750	880	280	100	4060	2140	2220	1400	1320	1100	1020
R41/1200	900	940	280	100	4060	2140	2220	1400	1320	1100	1250

-  Benne bivalente per scavo e carico materiali vari
 Grabs for digging and different materials' loading
 Bennes double-coquilles pour l'excavation et le chargement de matériaux divers


-  Zweischalengreifer für Aushub und Verladung von verschiedenen Materialien
 Bivalvas para excavación y carga de materiales diversos
 Двухчелюстной грейфер для сыпучих материалов



> R30



> R30Ø



Modello	Capacità	Peso	Pressione	Portata olio	Forza alla lama	Dimensioni					
Model	Capacity	Weight	Pressure	Oil flow	Tine force	Sizes					
Modèle	Capacité	Poids	Pression	Débit d'huile	Puissance à la lame	Dimensions					
Modell	Inhalt	Gewicht	Druck	Ölleistung	Schließkraft je Schale	Abmessungen					
	dm ³	kg	bar	l/min	Kg	A	B	C	D	E	L
R30/340	180	340	300	60	3200	1420	1500	1280	1490	1180	440
R30/360	260	380	300	60	3200	1420	1500	1280	1490	1180	640
R30/380	340	420	300	60	3200	1420	1500	1280	1490	1180	840
R30Ø800	90	350	300	60	5900	800	880	780	1180	1020	
R30Ø1000	140	420	300	60	4500	1000	1080	950	1280	1020	